

\$

Lot 17

1/53 CRAMPTON ST WAGGA WAGGA

3 -

2 -

2 - 🗐

Living: 145m² **Total:** 201.4m²







areas:

living - 145m2 garage - 36.6m2 pergola – 17.3m2 porch - 2.5m2 total - 201.4m2


WINDOW KEY: window sizes are indicated by the type of window first: asw = aluminium sliding window aaw = aluminium awning window adh = aluminium double hung asd = aluminium sliding door

then size: 1012 = 1.0 m high x 1.2 m wideeg: asw1012 = aluminium sliding window 1.0m high x 1.2m wide

S – hardwired smoke alarm


exhaust fans to comply


area of heated floor to manufacturers details




11550

F			job: PROPOSED 16 RESIDENCE	job: PROPOSED 16 RESIDENCE			I	NEC	
F	6 12	6.12.23 issued for quoting	client: OLD GIRL			#	, -	DNES	
N	_	date amendment	location:					DESIG	NS
	A.Jones - 115 Bradman Dr Boorooma NSW 2650 - PH: 0439 715 702		LOI 1,6,&7 53 CRAMPION ST WAGGA	LOT 1,6,&7 53 CRAMPTON ST WAGGA WAGGA		esigned: A. Jones	c'kod:	drawing number:	sheet #:
	this drawing is protected by copyright laws and can not be copied, altered or reproduced without the written permission of Andrew Jones		drawing title: FLOOR PLAN LOT 17	This plan is protected by copyright	date:29/3/23 d scale:1:100 @ A3 d		c Keu.	2021026	










ŀ			PROPOSED 16 RESIDENCE		north:		l I	ONES	
-	6.12.23	issued for quoting	client: OLD GIRL				, ,		NI C
N	date	amendment	location:	ACCA				DESIG	NS
┖	Α	Jones – 115 Bradman Dr Boorooma NSW 2650 – PH: 0439 715 702	LOT 1,6,&7 53 CRAMPTON ST WAGGA W	_	date:29/3/23	designed: A. Jones	c'ked:	drawing number:	sheet #:
	this drawing is protected by copyright laws and can not be copied, altered or reproduced without the written permission of Andrew Jones		drawing title: ELEVATIONS LOT 17	This plan is protected by copyright ©	scale: 1:100 @ A3	drawn: A. Jones		2021026	



GENERAL NOTES:

- 1. These drawing shall be read in conjunction with the specifications & drawing supplied by engineers, with BASIX report & with any other information
- 2. Prior to the commencement of work it is the responsibility of the building contractor to
- check & confirm all dimensions, heights, setbacks, levels, windows, etc.

 3. Installation of all materials & fittings shall always be in strict accordance with manufacturers and suppliers instructions and in accordance with NCC and Australia
- 4. All contractors / Sub-contractors shall be fully licensed & approved in their relevant trade & are to comply with all the standards, codes & best practices relevant to their
- 5. The building contractor is to visit the site of the proposed works & confer with the
- Owner/Developerto fully determine the nature and scope of the works.

 6. The building contractor is to ensure that the site of the proposed works is made safe and secure from access by others during construction in accordance with Local Authority & OHS requirements.

Water Commitments

Landscape

ous or low water use species = 80.4m2

Fixtures

Showerheads = 4 star (>6 but <7.5Lmin) kitchen taps & basin taps = 4 star Toilets = 4 star

Thermal Comfort Commitments

Gerneral features

The dwelling must be a Class Newelling according to the Building Code of Australia, and must not have more than 2 storys

The conditioned floor area of the dwelling must not exceed 300 m2 The dwelling must not contain open mezkanine area exceeding 25m2 The dwelling must not not contain third level habitable attic room.

Floor, walls and ceiling / roof

Floor = concrete slab on ground, nil

External wall = brick veneer, 2.06 or (2.6 including construction)

External wall = framws weatherboard, 2.20 or (2.6 including construction) Internal wall shared with garage = plasterboard,

0.84 (or 1.20 including construction)

Ceiling and roof = flat ceiling / pitched roof, ceiling: 3.5 (up), re foil/sarking, solar absorptance >0.70

Windows, glazed doors and skylights

North Facing W1, Height = 1800 Width = 2100, Type = aluminium - single clear, Shading = 575mm , 300mm above head of window/glazed door, overshadowing = n/a W2, Height = 600 Width = 1500, Type = aluminium - single clear, Shading = eave 575mm , 300mm above head of window/glazed door, Overshadowing = n/a W3, Height = 900 Width = 600, Type = aluminium - single clear, Shading = eave 575 mm , 300 mm above head of window/glazed door, 0 vershadowing = n/aW4, Height = 900 Width = 600, Type = aluminium - single clear, Shading = eave

575mm , 300mm above head of winglow/glazed door, Overshadowing = n/a East Facing W5, Height = 1800 Width = 2700, Type = aluminium - single clear, Shading = eave 575 mm, 300mm above head of window/glazed door, Overshadowing = n/aW6, Height = 1800 Width = 800, Type = aluminium - single clear, Shading = eave 575mm , 300mm above head of window/glazed door, Overshadowing = n/a

W7, Height = 1800 Width = 2700, Type = aluminium - single clear, Shading =

575mm , 300mm above head of window/glazed door, Overshadowing = n/a

eave 575mm , 300mm above head of window/glazed door, Overshadowing = n/a South Facing W5. Height = 2100 Width= 4000, Type = aluminium - single clear, Shading = eave South racing W5, Height = 2100 Width= 4000, Type = aluminium - single clear, Shading = 4160mm / 300mm above head of window/glazed door, Overshadowing = n/a West Facing
W9 / Height = 1800 Width = 2400, Type = aluminium - single clear, Shading = eave

Energy Commitments

Hot Water

Hot water Unit = gas instantaneous - 5.5 star

Cooling System

Cooling Unit = 1 phase aircon 6 stag

Heating System Heating Unit = 1 phase aircon 5.5 star

Ventilation

At least 1 Bathroom ∠individual fan, not ducted; Operation control: manual switch on/off. Kitchen = individual fan, ducted to facade or roof: Operation control: manual switch on/off. Laundry = natural ventilation only, or no Operation control: n/a.

Artificial Lighting

- Primary type of artificial light is fluorescent or LED in dedicated
- at least 3 of the bedrooms / study, dedicated at least 2 of the living / dining rooms, dedicated
- kitchen, dedicated
- all bathroom/toilet, dedicated
 the laundry, dedicated
 all hallways, dedicated

Natural Lighting

3 Bathroom(s) / toilet(s) = Window and/or

The applicant must install a induction cook top & electric oven in the kitchen of the dwelling. The applicant must install a fixed outdoor othes drying line as part of the development

BASIX Building Sustainability Index

Certificate # 1383616S

N	1 6.12.23 No date	issued for quoting amendment	job: PROPOSED 16 RESIDENCE client: OLD GIRL location:	MACCA WACCA	north:		5	,	ONES DESIG	NS
L	A.Jones - 115 Bradman Dr Boorooma NSW 2650 - PH: 0439 715 702		LOT 1,6,&7 53 CRAMPTON ST WAGGA WAGGA		date:29/3/23	design	ned: A. Jones	c'kod:	drawing number:	sheet #:
ı	this drawing is protected by copyright laws and can not be copied, altered or reproduced without the written permission of Andrew Jones		drawing title: FI OOR PI AN I OT 17	This plan is protected by	scale: 1:100 @ A3	-		c Ked.	2021026	

legend: LOT 17 geotextile filter fabric 24m2 open space 1.8m high colorbond panel fence (a) easement to drain sewage 20 wide mb - mail box cda – clothes line bs - bin storage **g** – gas meter w - water meter [3] 80.4m2 of Designated low water use/indigenous BASIX 008 1963 planting as per WWCC Landscape Guidelines PROPOSED RESIDENCE (FFL 179.700) 1683 902 proposed 1200mm high brick fence plant legend: # plants pot size spacing botanical name melaleuca linarifolia 'snow in summer' 300mm n/a Allium schoenoprasum 2 100mm 500mm 4 Grevillea ilicifolia 100mm 500mm Origanum vulgare 100mm 500mm 3

_										
E			PROPOSED 16 RESIDENCE		north:		I	ONEC		
-	6.12.23	issued for quoting	client: OLD GIRL			#	(3)	DESIG	NIC	
Ν	o date	amendment	location:					DESIG	CFI	
	A.Jones - 115 Bradman Dr Boorooma NSW 2650 - PH: 0439 715 702		LOT 1,6,&7 53 CRAMPTON ST WAGGA WAGGA		date:29/3/23 des	ianed: A. Jones	c'ked:	drawing number:	sheet #:	
	this drawing is protected by copyright laws and can not be copied, altered or reproduced without the written permission of Andrew Jones		drawing title: SITE PLAN LOT 17 This plan is protected by copyright ©		scale: 1:100 @ A3 dra	,	t Keu.	2021026		

kikuyu grass
all garden beds to be filled with pine bark chip mulch